



## Supplement of

## Molecular composition and volatility of isoprene photochemical oxidation secondary organic aerosol under low- and high-NO<sub>x</sub> conditions

Emma L. D'Ambro et al.

Correspondence to: Joel A. Thornton (thornton@atmos.uw.edu)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.

## Molecular composition and volatility of isoprene photochemical oxidation secondary organic aerosol under low and high NO<sub>x</sub> conditions

Emma L. D'Ambro<sup>1</sup>, Ben H. Lee<sup>2</sup>, Jiumeng Liu<sup>3</sup>, John E. Shilling<sup>3,4</sup>, Cassandra J. Gaston<sup>5</sup>, Felipe D. Lopez-Hilfiker<sup>6</sup>, Siegfried Schobesberger<sup>2</sup>, Rahul A. Zaveri<sup>3</sup>, Claudia Mohr<sup>7</sup>, Anna Lutz<sup>8</sup>, Zhenfa Zhang<sup>9</sup>, Avram Gold<sup>9</sup>, Jason D. Surratt<sup>9</sup>, Jean C. Rivera-Rios<sup>10</sup>, Frank N. Keutsch<sup>10</sup>, Joel A. Thornton<sup>2</sup>

<sup>1</sup>Department of Chemistry, University of Washington, Seattle, WA, 98195, USA

<sup>2</sup>Department of Atmospheric Sciences, University of Washington, Seattle, WA, 98195, USA

<sup>3</sup>Atmospheric Sciences and Global Change Division, Pacific Northwest National Laboratory, Richland, WA, 99352, USA

<sup>4</sup>Environmental Molecular Sciences Laboratory, Pacific Northwest National Laboratory, Richland, WA, 99352, USA

<sup>5</sup>Rosenstiel School of Marine & Atmospheric Science, University of Miami, FL, 33149, USA

<sup>6</sup>Laboratory of Atmospheric Chemistry, Paul Scherrer Institute, Zurich, Switzerland

<sup>7</sup>Institute of Meteorology and Climate Research, Karlsruhe Institute of Technology, Karlsruhe, Germany

<sup>8</sup>Department of Chemistry, Atmospheric Science, University of Gothenburg, Gothenburg, Sweden

<sup>9</sup>Department of Environmental Sciences and Engineering, Gillings School of Global and Public Health, University of North Carolina, Chapel Hill, NC, 27599, USA

<sup>10</sup>John A. Paulson School of Engineering and Applied Sciences and Department of Chemistry and Chemical Biology, Harvard University, Cambridge, MA, USA

*Correspondence to*: Joel A. Thornton (thornton@atmos.uw.edu)





**Figure 1.** Overview of the 2014 and 2015 measurements taken at PNNL. **A.** Data from the 2014 campaign, **B.** data from the 2015 campaign. The top rows show gas-phase compounds measured by the PTR-MS and FIGAERO-CIMS, as well as input concentrations of  $H_2O_2$ , NO, and isoprene. Middle rows show the OA as measured by the AMS. Steady state periods are shown within magenta circles, AMS blanks as black squares. Select particle phase species measured by the FIGAERO-CIMS are in the bottom rows. Grey shaded areas in each column indicate when chamber lights were off for chamber cleaning and a dark NO<sub>3</sub> experiment (in 2014) which is not discussed here. Note that the axis limits are not the same due to a wide range in concentrations across years, while  $C_5H_{12}O_5$  has been enhanced 5x and  $C_5H_{11}NO_7$  has been enhanced 20x in the bottom rows to clearly show the behavior of each species on the same axis. This figure has been enlarged from what is in the main text in order to more clearly display detail.